



2022

PRODUCT CATALOGUE


AP/AC/CPE/Router Series



Shenzhen GZCOM Communication Co., Ltd



Certification



Company



GZCOM Founde focus on comprehensive solutions for network communication equipment.commercial government and enterprise, home intelligent network, industrial iot and system integration.

Relying on Qualcomm, MediaTek, RealTek and other network chip solutions, It is the core strategic partner of more than ten well-known enterprises in the world OEM/ODM.

It provides enterprise gateway, AP, switch, wireless bridge, router, optical communication, 5G/4G router, Internet of Things and other industrial, commercial and home terminal products.。


Commercial Network



Home Network



Factory



Model List

产品型号	FAP610	FAP620	FAP630
芯片	QCA9531	QCA9531+QCA9887	QCA9563+QCA8334 +QCA9886
Flash/VRAM	16/64MB	16/128MB	16/128MB
无线速率	300Mbps	750Mbps	1200Mbps
工作频段	2.4G	2.4G+5.8G	2.4G+5.8G
接口 (WAN)	1*100Mbps	1*100Mbps	1*1000Mbps
接口 (LAN)	2*100Mbps	2*100Mbps	2*1000Mbps
供电方式	POE供电	POE供电	POE供电
通讯协议	802.11n/b/g	802.11ac/n/b/g	802.11ac/n/b/g
带机量	50	80	100
产品尺寸	86*86*45mm	86*86*45mm	86*86*45mm

产品型号	FAP660	FAP670	FAP680	FAP680-M1
芯片	MT7628	MT7628+7613	QCA9563+QCA8334 +QCA9882	MT7621DAT+MT7615N
Flash/VRAM	8/64MB	8/64MB	16/128MB	8/128MB
无线速率	300Mbps	1200Mbps	1200Mbps	1200Mbps
工作频段	2.4G	2.4G+5.8G	2.4G+5.8G	2.4G+5.8G
接口 (WAN)	1*100Mbps	1*100Mbps	1*1000Mbps	1*1000Mbps
接口 (LAN)	1*100Mbps	1*100Mbps	1*1000Mbps	1*1000Mbps
供电方式	POE供电	POE供电	POE供电	POE供电
通讯协议	802.11n/b/g	802.11ac/n/b/g	802.11ac/n/b/g	802.11ac/n/b/g
带机量	35	70	100	100
产品尺寸	87*86*35.8mm	87*86*35.8mm	87*86*35.8mm	86* 86*35mm



GZ-FAP610/620/630



GZ-FAP660/670/680/680-M1



Model List



产品型号	PW535	PW740	FAP300	FAP310
芯片	QCA9531	QCA9531+QCA9887	MT7628	MT7628+7613
Flash/VRAM	16/64MB	16/128MB	8/64MB	8/64MB
无线速率	300Mbps	750Mbps	300Mbps	1200Mbps
工作频段	2.4G	2.4G+5.8G	2.4G	2.4G+5.8G
接口 (WAN)	1*100Mbps	1*100Mbps	1*100Mbps	1*100Mbps
接口 (LAN)	1*100Mbps	1*100Mbps	1*100Mbps	1*100Mbps
供电方式	48V POE供电	48V POE供电	48V POE供电	48V POE供电
通讯协议	802.11n/b/g	802.11ac/n/b/g	802.11n/b/g	802.11ac/n/b/g
带机量	40	80	35	70
产品尺寸	86*86*35mm	86*86*35mm	86*86*35mm	86*86*35mm

产品型号	PW560	PW760	PW1200
芯片	QCA9531	QCA9531+QCA9887	RTL8197FH+RTL8812BRH +RTL8211F
Flash/VRAM	16/64MB	16/128MB	16/128MB
无线速率	300Mbps	750Mbps	1200Mbps
工作频段	2.4G	2.4G+5.8G	2.4G+5.8G
接口 (WAN)	1*100Mbps	1*100Mbps	1*100Mbps
接口 (LAN)	1*100Mbps	1*100Mbps	1*100Mbps
供电方式	48V POE供电	POE供电	POE供电
通讯协议	802.11n/b/g	802.11ac/n/b/g	802.11ac/n/b/g
带机量	50	80	80
产品尺寸	86*86*35mm	86*86*35mm	86*86*35mm

Model List

产品型号	FAP350M	FAP640	FAP650	FAP380
芯片	MT7621DAT+MT7615D	MT7621DAT+MT7905DN +MT7975	IPQ6000+QCA8075+ QCN5022+QCN5052	IPQ5000+QCA8337 +QCN6102
Flash/RAM	8/128MB	16/128MB	8MB+128MB+512MB	8MB+128MB+256MB
无线速率	1200Mbps	1800Mbps	1800Mbps	1800Mbps
工作频段	2.4G+5.8G	2.4G+5G	2.4G	2.4G
接口 (WAN)	1*1000Mbps	1*1000Mbps	1*1000Mbps	1*1000Mbps
接口 (LAN)	1*1000Mbps	1*1000Mbps	1*1000Mbps	1*1000Mbps
供电方式	POE供电	POE供电	POE供电	POE供电
通讯协议	802.11ac/n/b/g	802.11ax/ac/n/b/g	802.11ax/ac/n/b/g	802.11ax/ac/n/b/g
带机量	100	100	150	200
产品尺寸	86*86*45mm	86*86*45mm	160*86*29mm	160*86*29mm

产品型号	FAP320	FAP340	FAP360	FAP690
芯片	MT7628DAN	MT7628DAN +MT7613	MT7621DAT +MT7615DN	MT7621DAT+MT7905DN +MT7975
Flash/RAM	8/64MB	8/64MB	8/128MB	16/128MB
无线速率	300Mbps	1200Mbps	1200Mbps	1800Mbps
工作频段	2.4G	2.4G+5.8G	2.4G+5.8G	2.4G+5G
接口 (WAN)	1*100Mbps	1*100Mbps	1*1000Mbps	1*1000Mbps
接口 (LAN)	1*100Mbps	1*100Mbps	1*1000Mbps	1*1000Mbps
供电方式	POE供电	POE供电	POE供电	POE供电
通讯协议	802.11n/b/g	802.11ac/n/b/g	802.11ac/n/b/g	802.11ax/ac/n/b/g
带机量	50	100	100	100
产品尺寸	86*86*10.5mm	86*86*10.5mm	86*86*10.5mm	86*86*10.5mm



GZ-AP200/GZ-AP240



GZ-AP220/230
GZ-FAP780S/780S-P1/P2

Model List

产品型号	AP200	AP220	AP230	AP240
芯片	MT7628	QCA9531	QCA9531+QCA9887	MT7628DAN +MT7613BEN
Flash/VRAM	8/64MB	16/128MB	16/128MB	8/64MB
无线速率	300Mbps	300Mbps	750Mbps	1200Mbps
工作频段	2.4G	2.4G	2.4G+5G	2.4G+5.8G
接口 (WAN)	1*100Mbps	1*100Mbps	1*100Mbps	1*1000Mbps
接口 (LAN)	1*100Mbps	1*100Mbps	1*100Mbps	1*1000Mbps
供电方式	POE供电	POE供电	POE供电	POE供电
通讯协议	802.11n/b/g	802.11ac/n/b/g	802.11ac/n/b/g	802.11ac/n/b/g
带机量	35	64	100	100
产品尺寸	188 *33mm	168*168*32 mm	168*168*32 mm	188*33mm

产品型号	FAP780S	FAP780S-P1	FAP780S-P2
芯片	MT7621DAT+7603+7613	MT7621DAT+7615N	MT7621DAT+7615D
Flash/VRAM	8/128MB	8/128MB	8/128MB
无线速率	1200Mbps	1200Mbps	1200Mbps
工作频段	2.4G+5G	2.4G+5G	2.4G+5G
接口 (WAN)	1*1000Mbps	1*1000Mbps	1*1000Mbps
接口 (LAN)	1*1000Mbps	1*1000Mbps	1*1000Mbps
供电方式	POE供电	POE供电	POE供电
通讯协议	802.11ac/n/b/g	802.11ac/n/b/g	802.11ac/n/b/g
带机量	100	100	100
产品尺寸	168*168*32 mm	168*168*32 mm	168*168*32 mm



GZ-AP210

GZ-AP260/520/560

GZ-AP530

GZ-AP540

Model List

产品型号	AP200	AP220	AP230	AP240
芯片	MT7628	QCA9531	QCA9531+QCA9887	MT7628DAN +MT7613BEN
Flash/RAM	8/64MB	16/128MB	16/128MB	8/64MB
无线速率	300Mbps	300Mbps	750Mbps	1200Mbps
工作频段	2.4G	2.4G	2.4G+5G	2.4G+5.8G
接口 (WAN)	1*100Mbps	1*100Mbps	1*100Mbps	1*1000Mbps
接口 (LAN)	1*100Mbps	1*100Mbps	1*100Mbps	1*1000Mbps
供电方式	POE供电	POE供电	POE供电	POE供电
通讯协议	802.11n/b/g	802.11ac/n/b/g	802.11ac/n/b/g	802.11ac/n/b/g
带机量	35	64	100	100
产品尺寸	188 *33mm	168*168*32 mm	168*168*32 mm	188*33mm

产品型号	FAP780S	FAP780S-P1	FAP780S-P2
芯片	MT7621DAT+7603+7613	MT7621DAT+7615N	MT7621DAT+7615D
Flash/RAM	8/128MB	8/128MB	8/128MB
无线速率	1200Mbps	1200Mbps	1200Mbps
工作频段	2.4G+5G	2.4G+5G	2.4G+5G
接口 (WAN)	1*1000Mbps	1*1000Mbps	1*1000Mbps
接口 (LAN)	1*1000Mbps	1*1000Mbps	1*1000Mbps
供电方式	POE供电	POE供电	POE供电
通讯协议	802.11ac/n/b/g	802.11ac/n/b/g	802.11ac/n/b/g
带机量	100	100	100
产品尺寸	168*168*32 mm	168*168*32 mm	168*168*32 mm



GZ-AX820/830/840-P2/870

Model List

产品型号	AX820	AX830
芯片	MT7621AT+MT7905N +MT7975DN	IPQ5018+QCN6102 +OCA8081
Flash/RAM	32/256MB	8+128+512MB
无线速率	1800Mbps	3000Mbps
工作频段	2.4G+5.8G	2.4G+5.8G
接口 (WAN)	1*1000Mbps	1*2500Mbps
接口 (WAN)	1*1000Mbps	1*1000Mbps
供电方式	DC/POE供电	DC/POE供电
通讯协议	802.11ax/ac/n/b/g	802.11ax/ac/n/b/g
带机量	150	128
产品尺寸	168*168*32mm	168*168*32mm

产品型号	AX840-P2	AX870
芯片	IPQ6000+QCN5022 +QCN5052+OCA8075	MT7622B+7975 +7915
Flash/RAM	8+128+512MB	16+256MB
无线速率	1800Mbps	3200Mbps
工作频段	2.4G+5.8G	2.4G+5.8G
接口 (WAN)	1*1000Mbps	1*1000Mbps
接口 (LAN)	1*1000Mbps	1*1000Mbps
供电方式	DC/POE供电	DC/POE供电
通讯协议	802.11ax/ac/n/b/g	802.11ax/ac/n/b/g
带机量	150	150
产品尺寸	168*168*32mm	168*168*32mm



Model List

产品型号	AP740	AP760	AX840-P5
芯片	IPQ4019+QCA8075	IPQ4019+QCA9886 +QCA8075	IPQ6000+QCN5022 +QCN5052+QCA8075
Flash/VRAM	32/512MB	32/512MB	8+128+512MB
无线速率	1300Mbps	2200Mbps	1800Mbps
工作频段	2.4G+5.8G	2.4G+5.8G+5G	2.4G+5.8G
接口 (WAN)	1*10/100/1000M	1*10/100/1000M	1*1000Mbps
接口 (LAN)	1*10/100/1000M	1*10/100/1000M	1*1000Mbps
供电方式	DC/POE供电	DC/POE供电	DC/POE供电
通讯协议	802.11ac/n/b/g	802.11ac/n/b/g	802.11ax/n/b/g
带机量	100	200	150
产品尺寸	198*198*41mm	198*198*41mm	198*198*41mm

产品型号	AX850	AX860	AX880
芯片	IPQ5018+QCA8081 +QCN9024	IPQ8071A+QCA8081+PMP8074 +QCN5024+QCN5054	IPQ8072A+QCA8081+PMP8074 +QCN5024+QCN5054
Flash/VRAM	8+128+512MB	256/1024MB	256/1024MB
无线速率	1800Mbps	3000Mbps	3600Mbps
工作频段	2.4G+5.8G	2.4G+5G	2.4G+5G
接口 (WAN)	1*1000Mbps	1*2500Mbps	1*2500Mbps
接口 (LAN)	1*1000Mbps	1*1000Mbps	1*1000Mbps
供电方式	DC/POE供电	DC/POE供电	DC/POE供电
通讯协议	802.11ax/n/b/g	802.11ax/n/b/g	802.11ax/n/b/g
带机量	150	300	300
产品尺寸	198*198*41mm	198*198*41mm	198*198*41mm



GZ-CPE120M



GZ-CPE150A/450M



GZ-CPE200



GZ-CPE512AC/830D/850QD

Model List

产品型号	CPE120M	CPE200	CPE150A	CPE450M
芯片	MT7628	MT7628DAN +MT7613AE	AR9344	MT7628DAN +MT7613BEN
无线速率	300Mbps	900Mbps	300Mbps	900Mbps
工作频段	2.4G	2.4G+5.8G	5G	2.4G+5.8G
接口 (WAN)	1*100Mbps	1*100Mbps	1*100Mbps	1*100Mbps
接口 (LAN)	1*100Mbps	1*100Mbps	1*100Mbps	1*100Mbps
供电方式	POE供电	POE供电	DC/POE供电	DC/POE供电
天线增益	8dBi	12dBi	14dBi	14dBi
带机量	50	50	50	50
传输距离	1km	2km	1.5km	4km
防护等级	IP65	IP65	IP65	IP65

产品型号	CPE512AC	CPE830D	CPE850MD
芯片	QCA9563+QCA9886+8334	QCA9531	MT7628+7613
无线速率	900Mbps	300Mbps	900Mbps
工作频段	2.4G+5.8G	2.4G	2.4G+5.8G
接口 (WAN)	1*10/100/1000M	1*100Mbps	1*1000Mbps
接口 (LAN)	1*10/100/1000M	1*100Mbps	1*1000Mbps
供电方式	DC/POE供电	DC/POE供电	DC/POE供电
天线增益	15dBi	11dBi	14dBi
带机量	50	50	50
传输距离	5km	3km	5km
防护等级	IP65	IP65	IP65

Model List

产品型号	CPE300-F320	CPE300-F350	CPE300-G550
芯片	MT7628DAN	MT7628DAN+7613	MT7621DAT+7613
无线速率	300Mbps	900Mbps	900Mbps
工作频段	5G	5G	5G
接口 (WAN)	1*100Mbps	1*100Mbps	1*1000Mbps
接口 (LAN)	1*100Mbps	1*100Mbps	1*1000Mbps
供电方式	DC/POE 供电	DC/POE 供电	DC/POE 供电
天线增益	14dBi	15dBi	18dBi
带机量	50	50	50
传输距离	3km	5km	10km
防护等级	IP65	IP65	IP65

产品型号	CPE300-F210	CPE300-F510
芯片	MT7628	MT7628DAN+MT7613
无线速率	300Mbps	900Mbps
工作频段	2.4G	5G
接口 (WAN)	1*100Mbps	1*100Mbps
接口 (LAN)	3*100Mbps	3*100Mbps
供电方式	DC/POE 供电	DC/POE 供电
天线增益	11dBi	13dBi
带机量	50	50
传输距离	3km	3km
防护等级	IP65	IP65




Model List



GZ-CPE300-L3



GZ-CPE890DH/2200



GZ-CPE3200

产品型号	CPE300-L3	CPE890DH	CPE2200	CPE3200
芯片	AR9344	QCA9563+QCA9882 +QCA8334	QCA9563+QCA9882 +QCA8334	QCA9563+QCA9882 +QCA8334
无线速率	300Mbps	900Mbps	1200Mbps	1200Mbps
工作频段	5.8G	5.8G	2.4G+5.8G	2.4G+5.8G
接口 (WAN)	1*100Mbps	1*1000Mbps	1*1000Mbps	1*1000Mbps
接口 (LAN)	1*100Mbps	1*1000Mbps	1*1000Mbps	1*1000Mbps
供电方式	DC/POE供电	DC/POE供电	DC/POE供电	DC/POE供电
天线增益	14dBi	18dBi	2.4G:15dBi/5.8G:18dBi	2.4G:15dBi/5.8G:18dBi
带机量	50	50	50	100
传输距离	3km	10km	5km	15km
防护等级	IP65	IP65	IP65	IP65



Model List

产品型号	AP80Q	AP-1200W2	HWAP-20Q
芯片	QCA9531	QCA9563+QCA9886 +QCA8334	QCA9531
无线速率	300Mbps	1200Mbps	300Mbps
工作频段	2.4G	2.4G+5.8G	2.4G
接口 (WAN)	1*100Mbps	1*1000Mbps	1*100Mbps
接口 (LAN)	1*100Mbps	1*1000Mbps	1*100Mbps
供电方式	DC/POE 供电	POE 供电	DC/POE 供电
天线增益	5dBi	5dBi	8dBi
带机量	64	100	64
覆盖半径	150	60	150
防护等级	IP65	IP65	IP67

产品型号	ACHQ500	ACHD500	AX-HQ600	AX-HD600
芯片	QCA9563+QCA9886 +QCA8334	QCA9563+QCA9886 +QCA8334	IPQ5018+QCN6102 +QCA8081	IPQ5018+QCN6102 +QCA8081
无线速率	1200Mbps	1200Mbps	3000Mbps	3000Mbps
工作频段	2.4G+5G	2.4G+5G	2.4G+5G	2.4G+5G
接口 (WAN)	1*1000Mbps	1*1000Mbps	1*1000Mbps	1*1000Mbps
供电方式	POE 供电	POE 供电	POE 供电	POE 供电
天线增益	7dBi	7dBi	15dBi&18dBi	15dBi&18dBi
带机量	100	100	128	128
覆盖半径	100	200	100	200
防护等级	IP67	IP67	IP67	IP67



GZ-HWAP-80/HWAP-80W2
GZ-HWAP-AC1200/HWAP-2200
GZ-HWAP-AX1800/HWAP-AX840
GZ-HWAP-AX880

Model List

产品型号	HWAP-80	HWAP-80W2	HWAP-AC1200	HWAP-2200
芯片	QCA9563+QCA9882 +QCA8334	QCA9563+QCA9886 +QCA8334	MT7621DAT+7615D	IPQ4019+QCA9886 +QCA8075
无线速率	1200Mbps	1200Mbps	1200Mbps	2200Mbps
工作频段	2.4G+5.8G	2.4G+5.8G	2.4G+5.8G	2.4G+5G+5G
接口 (WAN)	1*1000Mbps	1*1000Mbps	1*1000Mbps	1*1000Mbps
供电方式	POE供电	POE供电	POE供电	POE供电
天线增益	8dBi&12dBi	8dBi&12dBi	8dBi&12dBi	6dBi
带机量	100	100	100	200
覆盖半径	150	150	100	150
防护等级	IP67	IP67	IP67	IP67

产品型号	HWAP-AX1800	HWAP-840	HWAP-880
芯片	MT7621AT+7905 +7975	IPQ6000+QCA8075 +QCN5022+QCN5052	IPQ8072A+QCA8081+PMP8074 +QCN5024+QCN5054
无线速率	1800Mbps	1800Mbps	3600Mbps
工作频段	2.4G+5.8G	2.4G+5.8G	2.4G+5.8G
接口 (WAN)	1*1000Mbps	1*1000Mbps	1*2500Mbps
供电方式	POE供电	POE供电	POE供电
天线增益	15dBi&18dBi	15dBi&18dBi	15dBi&18dBi
带机量	100	128	256
覆盖半径	80	150	100
防护等级	IP67	IP67	IP67

Model List

产品型号	AC1000	AC1500	AC3000	AC6000
芯片	MT7621	MT7621	MT7621	MT7621
Flash	16MB	16MB	16MB	16MB
内存	128MB	128MB	256MB	512 MB
接口 (WAN)	4*1000Mbps	4*1000Mbps	4*1000Mbps	4*1000Mbps
接口 (LAN)	1*1000Mbps	1*1000Mbps	1*1000Mbps	1*1000Mbps
管理AP	32	64	128	256
带机量	60	80	128	256
尺寸	293*180*44mm	277.8*180*37.7mm	440*240*44mm	440*240*44mm

产品型号	AC6050	AC6100	AC6300
芯片	Intel J1800双核2.0GHz	Intel J1900四核2.0GHz	Intel i3Core i7
Flash	2GB	2GB	4GB
内存	32GB	32GB	64GB
接口 (WAN)	4*1000Mbps	4*1000Mbps	4*1000Mbps
接口 (LAN)	2*1000Mbps	2*1000Mbps	2*1000Mbps
管理AP	512	1024	2048
带机量	512	1024	3072
尺寸	430*300*44.5mm	430*300*44.5mm	430*480*88mm



GZ-AC1000



GZ-AC1500



GZ-AC3000/6000



GZ-AC6050/6100



GZ-AC6300



GZ-LTE-A30S



GZ-LTE-A60



GZ-T530



GZ-LTE-H320



GZ-LTE-F300/F310/G700/G710

Model List

产品型号	LTE-A30S	LTE-A60	T530	LTE-H320
芯片	MT7628DAN	MT7628DAN+7613	QCA9531	MT7628DAN
Flash/RAM	8/64MB	8/64MB	16/128MB	8/64MB
无线速率	300Mbps	1200Mbps	300Mbps	300Mbps
工作频段	2.4G	2.4G+5G	2.4G	2.4G
接口 (WAN)	1*100Mbps	1*100Mbps	1*100Mbps	1*100Mbps
接口 (LAN)	3*100Mbps	3*100Mbps	2*100Mbps	1*100Mbps
供电方式	DC供电	DC供电	DC供电	DC/POE供电
通讯协议	802.11n/b/g	802.11ac/n/b/g	802.11n/b/g	802.11n/b/g
带机量	50+	100	40	50+
产品尺寸	218*148*33mm	218*148*33mm	133*101.5*25mm	237*79*56mm

产品型号	LTE-F300	LTE-F310	LTE-G700	LTE-G710
芯片	MT7628DAN	MT7628DAN+7613	MT7621DAT+MT7615DN	MT7621DAT+7905+7975
Flash/RAM	8/64MB	8/64MB	8/128MB	8/128MB
无线速率	300Mbps	300Mbps	300Mbps	300Mbps
工作频段	2.4G	2.4G+5G	2.4G+5G	2.4G+5G
接口 (WAN)	1*100Mbps	1*100Mbps	1*1000Mbps	1*1000Mbps
接口 (LAN)	3*100Mbps	3*100Mbps	2*1000Mbps	2*1000Mbps
供电方式	DC供电	DC供电	DC供电	DC供电
通讯协议	802.11n/b/g	802.11ac/n/b/g	802.11ac/n/b/g	802.11ac/n/b/g
带机量	30	60	100	150
产品尺寸	144*200*32mm	144*200*32mm	144*200*32mm	144*200*32mm

Model List

产品型号	M330	LTE-M330	AC750T
芯片	QCA9531	MT7628DAN+MINI PCI-E 4G	QCA9531+QCA9887
Flash/VRAM	16/128MB	16/64MB	16/128MB
无线速率	300Mbps	300Mbps	750Mbps
工作频段	2.4G	2.4G	2.4G+5G
接口 [WAN]	1*10/100M	1*10/100M	/
接口 [LAN]	1*10/100M	1*10/100M	1*10/100M
供电方式	DC供电	DC供电	DC供电
通讯协议	802.11n/b/g	802.11n/b/g	802.11ac/n/b/g
带机量	40	50+	40
产品尺寸	92.5*74.3*28mm	120*100*40mm	133*101.5*25mm

产品型号	LTE-M300	LTE-M310	AX-1750
芯片	MT7628DAN	IPQ6010+5022+5052	IPQ6010+5022+5052
Flash/VRAM	8/64MB	8/64MB	256/1024MB
无线速率	300Mbps	1200Mbps	1800Mbps
工作频段	2.4G	2.4G+5G	2.4G+5G
接口 [WAN]	1*100Mbps	1*100Mbps	1*2.5Gbps
接口 [LAN]	1*100Mbps	1*100Mbps	4*1000Mbps
供电方式	DC供电	DC供电	DC供电
通讯协议	802.11n/b/g	802.11ac/n/b/g	802.11ax/ac/n/b/g
带机量	30	60	100
产品尺寸	115*115*25mm	115*115*25mm	237*79*56mm



GZ-LTE-M300/M310



GZ-M330



GZ-AC750T



GZ-AX-1750

Model List

产品型号	FR800-M1	FR1800-M2	M20
芯片	RTL8197FH+RTL8211 +RTL8812	RTL8197FH+RTL8367 +RTL8812	MT7621DAT+MT7615DN +RTL8812
Flash/RAM	16/64MB	16/128MB	16/128MB
无线速率	1200Mbps	1200Mbps	1200Mbps
工作频段	2.4G+5G	2.4G+5G	2.4G+5G
接口 (WAN)	1*1000Mbps	1*1000Mbps	1*1000Mbps
接口 (LAN)	3*100Mbps	3*1000Mbps	3*1000Mbps
供电方式	DC供电	DC供电	DC供电
通讯协议	802.11ac/n/b/g	802.11ac/n/b/g	802.11ac/n/b/g
带机量	32	100	100
产品尺寸	218*148*33mm	218*148*33mm	218*148*33mm

产品型号	FR2800-M3	FR2800-M5	FR3800-X5
芯片	RTL8197FH+RTL8812BRH	RTL8197FH+RTL8812BRH +RTL8367RB	RTL8197FH+RTL8812BRH +RTL8367RB
Flash/RAM	16/128MB	16/128MB	16/128MB
无线速率	1200Mbps	1200Mbps	1200Mbps
工作频段	2.4G+5G	2.4G+5G	2.4G+5G
接口 (WAN)	1*100Mbps	1*1000Mbps	1*1000Mbps
接口 (LAN)	1*100Mbps	3*1000Mbps	3*1000Mbps
供电方式	DC供电	DC供电	DC供电
通讯协议	802.11ac/n/b/g	802.11ac/n/b/g	802.11ac/n/b/g
带机量	100	100	100
产品尺寸	133*101.5*25mm	133*101.5*25mm	120*120*182mm





Model List



GZ-T730/T740

产品型号	T730	T740
芯片	QCA9531	QCA9531+ QCA9887
Flash/VRAM	16/64MB	16/128MB
无线速率	300Mbps	750Mbps
工作频段	2.4G	2.4G+5G
接口 (WAN)	1*100Mbps	1*100Mbps
接口 (LAN)	3*100Mbps	3*100Mbps
供电方式	DC供电	DC供电
通讯协议	802.11n/b/g	802.11ac/n/b/g
带机量	50	50
产品尺寸	164*101*24mm	218*148*33mm



GZ-M10

产品型号	M10
芯片	RTL8197FH+RTL8367+RTL8812
Flash/VRAM	16/128MB
无线速率	1200Mbps
工作频段	2.4G+5G
接口 (WAN)	1*1000Mbps
接口 (LAN)	3*1000Mbps
供电方式	DC供电
通讯协议	802.11ac/n/b/g
带机量	40
产品尺寸	218*148*33mm